



Tile Catalog

Glazed ceramic and porcelain tile for floors and walls, specs and formats for export

This catalog covers two tile lines available through Nadir Export: glazed ceramic tile and porcelain tile, produced by certified partner manufacturers in Brazil.

Both lines are certified to ABNT NBR ISO 13006 (the Brazilian technical standard aligned with the international ceramic tile standard) with quality systems certified to ABNT NBR ISO 9001.

Pricing is confirmed per order based on collection, format, volume, and destination — request a quote for current rates.



Request a Quote	nadirexport.com/contact · nadirexportinc@gmail.com
Catalog version	2026

Certifications & How to Read Specs

Both tile lines in this catalog carry product certification to ABNT NBR ISO 13006 (Brazil's technical standard for ceramic tiles) and are produced under quality systems certified to ABNT NBR ISO 9001. The technical data on the following pages covers box/pallet quantities, weight, thickness, and performance ratings for each format.

Key performance terms

Absorption Group	Classifies water absorption. Porcelain (Bla, $\leq 0.5\%$) absorbs far less than glazed ceramic (BIIB, 6–10%) — relevant for exterior, wet-area, and high-traffic use.
Breaking Strength	Minimum force the tile withstands before breaking. Porcelain rates higher (≥ 35 MPa) than glazed ceramic (≥ 18 MPa).
Traffic Class (LA–LE)	Indicates where a tile can be installed, from interior walls only (LA) up to very high commercial traffic (LE). Detailed below.
Shade Variation (V1–V4)	How much color/pattern varies piece to piece, from uniform (V1) to high random variation (V4) — relevant for matching large areas.

Traffic classification

LA — No traffic	Interior and exterior walls only (up to 3m high). Not suitable for floors.
LB — Low traffic	Interior residential floors with little foot traffic, no exterior access. Not for garages.
LC — Medium traffic	All interior/exterior residential use with vehicle traffic; commercial with medium foot traffic, no equipment traffic.
LD — High traffic	Commercial and residential with heavy foot traffic, no equipment traffic.
LE — Very high traffic	All residential and commercial environments with the highest traffic, where slip resistance is required.

Glazed Ceramic Tile

A full-format glazed ceramic line spanning large-format Prime pieces down to compact mosaics, in cement, marble, wood, stone, and geometric-pattern finishes.



Available formats

Prime collection	62 × 122cm · 83 × 83cm · 61 × 61cm — large-format, rectified
Standard formats	62 × 62cm · 32 × 62cm · 50 × 50cm · 30 × 46cm · 41 × 41cm
Finish families	Clássicos (solid colors), Marmorizada (marble-look), Cimento (cement-look), Madeira (wood-look), Pedra (stone-look), Geométrico (patterned), Tijolo (brick-look)

Ceramic Tile — Technical Data by Format

Figures below are per standard box; confirm exact figures per collection at quote, as some models carry minor weight variation.

	62×12 2	61×12 2	83×83	82×82	61×61	62×62	50×50 R	50×50 B	32×62	30×46	41×41
Pieces/box	3	3	4	4	6	6	8	8	10	14	12
m ² /box	2.26	2.23	2.73	2.68	2.22	2.28	2.03	2.00	1.95	2.00	2.00
kg/m ²	17.80	18.04	16.71	16.71	14.90	14.90	13.34	13.34	14.85	12.80	12.70
Boxes/pallet	21	21	32	32	36	36	48	48	48	48	48
Thickness (mm)	8.4	8.4	8.0	8.0	7.2	7.2	6.8	6.8	6.9	6.8	6.4
Min. joint (mm)	2	2	2	2	2	2	5	2	2	5	5

R = Rectified edge, B = Bold (pressed) edge. Sizes in cm.

Absorption group	BIIB (6–10%)
Breaking strength	≥ 18 MPa
Chemical resistance	≥ GLB
Scratch resistance	MOHS 3
Stain resistance	≥ Class 3 / Grade 3
Standard	ABNT NBR ISO 13006

Ceramic Tile — Collection Examples

marmorizada



Amadora Black PL | LB


Amadora Black — marmorizada (marble-look), Prime 62×122cm



Restelo Blue AC | 62x122

Restelo Blue — geométrico (patterned), 62×122cm, shown as feature wall

32 x 62 cm



32HDA10 | 32x62

32HDA10 — tijolo (brick-look), 32×62cm, shown as feature wall over 62×62cm floor tile

Porcelain Tile

A large-format porcelain line across five design collections — Decor, Bosco, Citta, Palazzo, and Pietre — engineered for lower water absorption and higher breaking strength than glazed ceramic, suited to high-traffic and exterior applications.



Collections

Decor	20×20cm mosaic-format finishes — Acapulco, Bavaro, Esmeralda, Malibu, Tulum, Veneza
Bosco	20×120cm wood-look planks — Albar, Legend, Nube, Legno, Negara, Oxford, Evidence, Origem, Red Wood
Citta	Cement/concrete-look, up to 120×120cm — Broadway, London, Cairo, Milano, Tóquio, Jolie, Concreta
Palazzo	Marble-look, up to 120×120cm, polished or satin — Aslan and other marble reproductions
Pietre / Cristalli	Stone-look and decorative finishes — see full collection on request

Porcelain Tile — Technical Data by Format

Figures below are per standard box; some models carry weight/size variation between finishes (PL, AC, AT, GR, NT)
— confirm at quote.

	20×20	30×61	41×81	60×60	61×61	80×80	81×81	60×11 9	61×12 0	20×12 0	119×1 19	120×1 20
Pieces/box	20	12	8	6	6	4	4	3	3	8	2	2
m²/box	0.80	2.23	2.63	2.16	2.23	2.57	2.64	2.15	2.19	1.92	2.83	2.86
kg/m²	17.74	17.22	17.74	17.16	17.22	19.70	19.38	21.80	21.50	21.97	22.71	22.81
Boxes/pallet	62	32	36	30	30	30	30	21	21	24	21	21
Thickness (mm)	7.8	7.8	8.3	7.8	7.8	8.3	8.3	9.1	9.1	9.1	9.5	9.5
Min. joint (mm)	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5

Sizes in cm. All porcelain formats above are rectified.

Absorption group	Bla (≤ 0.5%)
Breaking strength	≥ 35 MPa
Rupture	≥ 1300 N
Scratch resistance	MOHS 3
Stain resistance	≥ Class 3 / Grade 3
Standard	ABNT NBR ISO 13006:2020

Porcelain Tile — Collection Examples



Bosco — Albar Sand, natural finish, 20×120cm wood-look plank flooring



Palazzo — Aslan Gris, polished finish, 120×120cm marble-look flooring

L O N D O N



Citta — London Dark, natural finish, 120×120cm cement-look

Requesting a Quote

Pricing is confirmed per order and varies by collection, format, finish, volume, and destination. To receive a formal quote, please provide the following:

Product line	Glazed ceramic or porcelain
Collection / finish	e.g. Prime — Amadora Black, or Bosco — Albar Sand
Format	e.g. 62×122cm, or 61×120cm
Quantity	e.g. m ² , pallets, or container load
Destination port / country	—
Target delivery date	—

Nadir Export

nadirexport.com/contact · nadirexportinc@gmail.com

Specifications listed in this catalog reflect standard offerings from our partner manufacturers and may vary by production run or collection updates. Please confirm exact specifications and current availability at time of quote.